

Cloud Integration Option Pack

CIOP v2.2.2 Release Notes

08 April 2024

Table of Contents

| I. Introduction | 1 |
|---|------|
| 1.1. Purpose of this release | 1 |
| 2. Features of nShield Cloud Integration Option Pack v2.2.2 | 2 |
| 2.1. Updated HSM and Security World Software support | 2 |
| 2.2. Updated operating systems support | 2 |
| 2.3. RSAES_OAEP_SHA_256 wrapping algorithm support for Google KMS | 2 |
| 2.4. cssadmin is now cloud_integration_tool | 3 |
| 2.5. User documentation | 3 |
| 3. Important information | . 4 |
| 4. Compatibility | 5 |
| 4.1. Supported hardware | 5 |
| 4.2. Supported operating systems | 5 |
| 4.3. Supported Security World versions | 6 |
| 4.4. Supported Firmware versions | 6 |
| 5. Cloud Service Provider integration | 7 |
| 5.1. Terminology | 7 |
| 5.2. Amazon Web Services | 7 |
| 5.3. Google Compute Engine | 8 |
| 5.4. Google Cloud Key Management | 9 |
| 5.5. Microsoft Azure | 9 |
| 5.6. Salesforce | . 10 |
| 6. Fixed issues from previous release | . 12 |
| 7. Known issues | . 13 |
| 7.1. Known issues in CIOP v2.2.2 | . 13 |
| 7.2. Known issues in Security World v12.71 | . 13 |

1. Introduction

These release notes apply to version 2.2.2 of the nShield Cloud Integration Option Pack (CIOP) for Security World Software. They contain information specific to this release such as new features, defect fixes, and known issues.

This document may be updated with issues that have become known after this release has been made available. Check https://nshieldsupport.entrust.com/hc/en-us/sections/360001115837-Release-Notes for the most up to date version of this document.

Access to the Entrust nShield Help Center is available to customers under maintenance. Contact Entrust nShield Technical Support at nshield.support@entrust.com to request an account.

1.1. Purpose of this release

CIOP provides users of cloud services the ability to generate keys in their own environment and export them for use in the cloud while having:

- Confidence that their key has been generated securely using a strong entropy source.
- Confidence that the long-term storage of their key is protected by a FIPScertified Hardware Security Module (HSM).

The following cloud services are supported:

- Amazon Web Services (AWS)
- Google Compute Engine
- Google Cloud Key Management (Google KMS)
- Microsoft Azure
- Salesforce

2. Features of nShield Cloud Integration Option Pack v2.2.2

2.1. Updated HSM and Security World Software support

CIOP now supports the nShield 5s and nShield 5c hardware security module (HSM) variants, as well as the latest released version of nShield Security World Software. See Compatibility for the list of HSM variants and Security World Software versions supported.

2.2. Updated operating systems support

The operating systems supported by CIOP have been revised to reflect support for the latest released version of Security World Software.

The following operating systems are now supported:

- Microsoft Windows 11 x64
- Microsoft Windows Server 2022 x64
- Microsoft Windows Server 2022 Core x64
- Red Hat Enterprise Linux 8 x64
- Red Hat Enterprise Linux 9 x64
- Oracle Enterprise Linux 8 x64

The following have been deprecated:

- Microsoft Windows Server 2012 R2 x64
- Red Hat Enterprise Linux AS/ES 6 x86/x64
- Oracle Enterprise Linux 6.10 x64

See Compatibility for the list of operating systems supported.

2.3. RSAES_OAEP_SHA_256 wrapping algorithm support for Google KMS

It is now possible to specify RSAES_OAEP_SHA_256 as the wrapping algorithm for Google KMS. The supported wrapAlq values for Google KMS are: RSAES_OAEP_SHA_1

CIOP v2.2.2 Release Notes 2/13

and RSAES_OAEP_SHA_256. See the *User Guide* for more information on how to use CIOP with Google KMS.

2.4. cssadmin is now cloud_integration_tool

cssadmin, the tool for securely generating, wrapping and exporting keys to a cloud service provider, has been renamed to **cloud_integration_tool**.

2.5. User documentation

The CIOP user documentation has been moved from the software package to https://nshielddocs.entrust.com.

- Release notes and user documentation for recent releases are publicly available at https://nshielddocs.entrust.com.
- PDF versions of all supported release notes and user documents are available
 in the Entrust nShield Help Center at https://nshieldsupport.entrust.com/hc/
 en-us/categories/360000473317-Documents-Manuals. Access to the Entrust
 nShield Help Center is available to customers under maintenance. Contact
 Entrust nShield Technical Support at nshield.support@entrust.com to request
 an account.

3. Important information

Before deploying the nShield Cloud Integration Option Pack, the following should be considered:

- That an existing Security World software installation is required before installing the nShield Cloud Integration Option Pack.
- That a usable Security World is required.
- If using the Salesforce provider, that nShield Firmware version 12.70 is required.
- CIOP requires the python module asn1crypto to be installed for nfast python. This will be carried out by the CIOP installation process.
- When using multiple modules, cloud_integration_tool defaults to the first usable module. To change this, the -m option within cloud_integration_tool should be used to specify a module.
- The nShield Cloud Integration Option Pack expects Security World keys to be created with an appropriate set of permissions, therefore, only Security World keys created by cloud_integration_tool can be exported.
- If using nfkmverify to verify the generated Security World key the following message may be displayed (where <key name> is the name given during execution of cloud_integration_tool):

```
DISCREPANCY: ACL of application key simple <key name> not of expected form:
unexpected derivekey mechanism RawEncrypt
```

This is expected behavior and does not indicate a problem with the generated key.

4. Compatibility

4.1. Supported hardware

This release is targeted at deployments with any combination of the following nShield HSMs:

- nShield 5s (Base, Mid, High)
- nShield 5c (Base, Mid, High)
- nShield Solo XC (Base, Mid, High)
- nShield Solo PCI Express (500+, and 6000+)
- nShield Connect (500+, 1500+, and 6000+)
- nShield Connect XC (Base, Mid, High, Serial Console)
- · nShield Edge

4.2. Supported operating systems

This release has been tested for compatibility with the following operating systems:

- Microsoft Windows 10 x64
- Microsoft Windows 11 x64
- Microsoft Windows Server 2016 x64
- Microsoft Windows Server 2019 x64
- Microsoft Windows Server 2019 Core x64
- Microsoft Windows Server 2022 x64
- Microsoft Windows Server 2022 Core x64
- Red Hat Enterprise Linux 7 x64
- Red Hat Enterprise Linux 8 x64
- Red Hat Enterprise Linux 9 x64
- SUSE Enterprise Linux 12 x64
- SUSE Enterprise Linux 15 x64
- Oracle Enterprise Linux 7 x64
- Oracle Enterprise Linux 8 x64

4.3. Supported Security World versions

This release can be used with the following nShield Security World Software installations:

- Security World v13.4
- Security World v13.3
- Security World v12.71

4.4. Supported Firmware versions

This release can be used with the following nShield Firmware versions:

- nShield Firmware v12.60 or higher if using the aws, google-compute-engine, microsoft-azure, or google-cloud-key-management providers
- nShield Firmware v12.70 or higher if using the salesforce provider

5. Cloud Service Provider integration

This table shows which Cloud Service Provider is supported in each version of CIOP.

| | | CIOP v2.0.0 | CIOP v2.1.0 | CIOP v2.2.2 | Minimum Required Security World |
|---------------------------|-----------------------------------|-------------|-------------|-------------|---------------------------------------|
| Cloud Service Provider | Amazon Web Services | √ | ✓ | ✓ | v12.60 |
| | Google Compute Engine | √ | √ | √ | v12.60 |
| | Google Cloud Key Management | X | X | √ | v12.60 |
| | Microsoft Azure | √ | ✓ | ✓ | v12.60 |
| | Salesforce | Х | ✓ | V | v12.70 |

Note that some of the providers were available in CIOP v1.0 and v1.1 releases but these *Release Notes* only detail compatibility from CIOP v2.0 onwards. Refer to the *Release Notes* for those versions if required.

5.1. Terminology

| Target Key | The key to transfer from an nShield HSM to a Cloud hosted HSM. |
|--------------------|--|
| Wrapping Key | The key obtained from the Cloud Service Provider which is used to protect the target key in transit. |
| Wrapping Algorithm | The algorithm used to wrap the target key with the |

wrapping key.

5.2. Amazon Web Services

Support for Amazon Web Services has been available from CIOP v2.0.0. Using this provider requires a minimum of Security World and Firmware v12.60.

CIOP v2.2.2 Release Notes 7/13

The following table shows the supported target and wrapping key combinations supported for AWS.

At time of release, the only wrapping key type supported by AWS is 2048-bit RSA and there is no choice of target key type.

| | | Wrapping Algorithm | | |
|--|---------|----------------------|------------------------|----------------------|
| | | RSAES_OAEP_SH A_1 | RSAES_OAEP_SH A_256 | RSAES_PKCS1_V1 _5 |
| Target Key Type | AES 256 | √ | √ | ✓ |
| Supported by AWS | | √ | √ | ✓ |
| Supported in a v3 FIPS 140-2 Level 3 Security World* | | ~ | ~ | × |

^{*} RSAES_OAEP_SHA_1 was made available in FIPS Security Worlds from Security World v12.70, prior to that it was disabled.

5.3. Google Compute Engine

Support for Google Compute Engine has been available from CIOP v2.0.0. Using this provider requires a minimum of Security World and Firmware v12.60.

The following table shows the supported target and wrapping key combinations supported for Google Compute Engine.

At time of release, the only wrapping key supported by Google is the RSA public key certificate maintained by Compute Engine. There is no choice of target key type.

Note that some of the wrapping algorithms that CIOP supports are not currently compatible with Google Compute Engine.

| | | Wrapping Algorithm | | |
|------------------------------------|---------|----------------------|------------------------|----------------------|
| | | RSAES_OAEP_SH A_1 | RSAES_OAEP_SH A_256 | RSAES_PKCS1_V1 _5 |
| Target Key Type | AES 256 | √ | √ | ✓ |
| Supported by Google Compute Engine | | √ | X | Х |

| | | Wrapping Algorithn | 1 |
|--|------------|--------------------|---|
| Supported in a v3 FIPS 140-2 Level 3 Security World | / * | ~ | х |

^{*} RSAES_OAEP_SHA_1 was made available in FIPS Security Worlds from Security World v12.70 and prior to that it was disabled.

5.4. Google Cloud Key Management

Support for Google Cloud Key Management has been available from CIOP v2.2.1. Using this provider requires a minimum of Security World and Firmware v12.60.

The following table shows the supported target and wrapping key combinations supported for Google Cloud Key Management.

The only supported wrapping algorithm for Google KMS is CKM_RSA_AES_KEY_WRAP.

| | | Google KMS Wrapping Key (Import Job) | | Supported by Google KMS | Supported in a v3 FIPS 140-2 Level 3 Security World * |
|-------------|-------------|--------------------------------------|----------|----------------------------|---|
| | | RSA-3072 | RSA-4096 | | |
| Target | RSA-2048 | ✓ | ✓ | ✓ | √ |
| Key Type | RSA-3072 | ✓ | ✓ | √ | √ |
| | RSA-4096 | ✓ | √ | √ | √ |
| | EC-NISTP256 | ✓ | ✓ | √ | √ |
| | EC-NISTP384 | ✓ | ✓ | √ | ✓ |
| | AES-256 | ✓ | ✓ | √ | ✓ |

^{*} CKM_RSA_AES_KEY_WRAP was made available in FIPS Security Worlds from Security World Version v12.70. If you are using v12.60, this mechanism will be disabled in a FIPS Security World.

5.5. Microsoft Azure

Support for Microsoft Azure has been available from CIOP v2.0.0. Using this

provider requires a minimum of Security World and Firmware v12.60.

The following table shows the supported target and wrapping key combinations supported for Microsoft Azure.

The only supported wrapping algorithm for Azure is CKM_RSA_AES_KEY_WRAP.

| | | Azure Wrapping Key (Key Exchange Key) | | | Supported by Azure | Supported in a v3 FIPS 140-2 Level 3 Security World * |
|-------------|--------------|---------------------------------------|----------|----------|-----------------------|---|
| | | RSA-2048 | RSA-3072 | RSA-4096 | | |
| Target | RSA-2048 | √ | √ | ✓ | √ | √ |
| Key Type | RSA-3072 | √ | √ | ✓ | √ | √ |
| | RSA-4096 | √ | √ | ✓ | V | √ |
| | EC-NISTP256 | ✓ | ✓ | ✓ | V | ✓ |
| | EC-NISTP384 | √ | ✓ | ✓ | V | ✓ |
| | EC-NISTP521 | ✓ | ~ | ✓ | V | ✓ |
| | EC-SECP256K1 | ✓ | ✓ | ✓ | X | Х |

^{*} CKM_RSA_AES_KEY_WRAP was made available in FIPS Security Worlds from Security World Version v12.70. If you are using v12.60, this mechanism will be disabled in a FIPS Security World.

5.6. Salesforce

Support for Salesforce has been available from CIOP v2.1.0.

Using this provider requires a minimum of Security World and Firmware v12.70.

The following table shows the supported target and wrapping key combinations supported for Salesforce.

At time of release, the only wrapping key type supported by Salesforce is 4096bit RSA and there is no choice of target key type.

Note that some of the wrapping algorithms that CIOP supports are not currently compatible with Salesforce.

Chapter 5. Cloud Service Provider integration

| | | Wrapping Algorithm | | | |
|--|---------|----------------------|------------------------|----------------------|--|
| | | RSAES_OAEP_SH A_1 | RSAES_OAEP_SH A_256 | RSAES_PKCS1_V1 _5 | |
| Target Key Type | AES 256 | √ | √ | √ | |
| Supported by Salesforce | | ✓ | X | Х | |
| Supported in a v3 FIPS 140-2 Level 3 Security World | | ~ | ✓ | х | |

6. Fixed issues from previous release

| Reference | Description |
|-----------|--|
| NSE-57821 | CIOP release notes claim that EC-SECP256K1 is supported by Azure when it is not. |
| NSE-55109 | CIOP now supports RSAES_0AEP_SHA_256 for Google KMS. |
| NSE-48209 | A warning is no longer displayed when specifying managedhsm forazure-kek. |

7. Known issues

7.1. Known issues in CIOP v2.2.2

| Reference | Description |
|-----------|---|
| NSE-41286 | If you want to provide FIPS Authorization using an OCS or ACS presented via Remote Administration you will need to remap the relevant Dynamic Slot to Slot 0. |

7.2. Known issues in Security World v12.71

Some known issues relevant to operating CIOP are listed below. Refer to the *Release Notes* for the Security World version you are using for the full list of known issues.

| Reference | Description |
|-----------|---|
| | No known issues in Security World software identified at this time. |